MKAIA

ORA

Designed by Peter Straka Vienna 2016 Snaking across the ceiling like a constellation of stars, the glowing clear glass spheres that light up the O R A chandelier make for an impactful centerpiece.








Hand blown by master craftsmen at a traditional glass workshop in Bavaria, each of the O R A's perfect glass spheres are linked together by a snaking network of solid brass stems and rings. This system of course is not just decorative, it allows the piece to be reworked into endless compositions, from simple to complex.

ORA 8



Type Suspension light
Material Solid brass
Environment Indoors

Dimensions 2140 x 750 x 420mm 84, 25 x 29,52 x 16,53 ";

 $\label{eq:Glass} \mbox{ Glass Ø 200 mm - 7,87 "}$ Stem Length $\mbox{ 750 mm - 29,52 }\mbox{ \footnote{1.5ex} }\mbox{ }\mbox$

(can be customized)
Weight 12 kg 26,5 lb
Certification IP20 CE

Ceiling Rose Ø 200 mm x 60 mm Ø 7,87 x 2,36 "

Lamping Filament: E14 115mm (3,94 🛭) Tube Light

Bulb, clear, 8 x 25W, 2200 K, dimmable.

OR Led: E14 115mm (3,94 $\mbox{\em I}$) Tube Light Bulb, clear , 8 x 2,7W (250lm),

2600K, dimmable

Lamping US 8x E12, Tube Light Bulbs not included

Standard finishes:

 160 01 201
 brushed nickel

 160 01 207
 oiled and waxed brass

 160 01 209
 black matte

 160 01 402
 aged brass


 160 01 208
 bronze

* Other finishes on request, please inquire to sales@kaialighting.com.

2140 mm

- ** For destinations with Mediterranean climate we highly recommend a brushed and lacquered brass finish.
- *** Please note the glass is hand blown. The crystal glass might have some natural imperfections which are a result of the glass manufacturing process.
- **** Please note, the chandelier has a rigid structure the ring connectors are NOT adjustable!

ORA 6



Туре Suspension light Material Solid brass Environment Indoors

1430 x 725 x 480mm Dimensions

56,23 x 28, 54 x 18, 90 "; Glass Ø 200 mm - 7,87 "

Stem Length 750 mm - 29,52 " (can be customized)

Weight 12 kg 26,5 lb Certification IP20 CE Ceiling Rose Ø 200 mm x 60 mm Ø 7,87 x 2,36 "

Lamping Filament: E14 115mm (3,94 🛭) Tube

Light Bulb, clear, 6 x 25W, 2200 K, dimmable.

OR Led: E14 115mm (3,94 $\mbox{\em B}$) Tube Light Bulb, clear , 6 x 2,7W (250lm),


2600K, dimmable

6x E12, Tube Light Bulbs not included Lamping US

Standard finishes:

160 02 201 brushed nickel 160 02 207 oiled and waxed brass 160 02 209 black matte 160 02 402 aged brass 160 02 208 bronze

ORA Compact



700 mm

1000 mm

Туре Suspension light Material Solid brass Environment Indoors Dimensions

1000 x 700 x 360 mm 39,37 x 27,56 x 14,17 ";

Glass Ø 200 mm - 7,87 " 750 mm - 29,52 "

(can be customized) Weight 12 kg 26,5 lb IP20 CE

Certification Ceiling Rose Ø 200 mm x 60 mm Ø 7.87 x 2.36 "

Lamping Filament: E14 115mm (3,94 🛭) Tube

Light Bulb, clear, 6 x 25W,

2200 K, dimmable. OR Led: E14 115mm (3,94 🛭) Tube

Light Bulb, clear , 6 x 2,7W (250lm),

2600K, dimmable


Lamping US 6x E12, Tube Light Bulbs not included


Standard finishes:

Stem Length

160 03 201 brushed nickel 160 03 207 oiled and waxed brass 160 03 209 black matte 160 03 402 aged brass 160 03 208 bronze










ORA

Symmetrical



Туре Suspension light Material Solid brass Environment Indoors

Dimensions 1130 x 1130 x 200mm

44,49 x 44,49 x 7,87 🛚; Glass Ø 200 mm - 7,87 🛭

Stem Length 750 mm - 29,52 🛚 (can be customized)

12 kg 26,5 lb

Weight Certification IP20 CE

Ceiling Rose Ø 200 mm x 60 mm Ø 7,87 x 2,36 "


Filament: E14 115mm (3,94 🛭) Tube Lamping

Light Bulb, clear, 8 x 25W, 2200 K, dimmable.

OR Led: E14 115mm (3,94 $\mbox{\em B})$ Tube Light Bulb, clear , 8 x 2,7W (250lm),

2600K, dimmable

8x E12, Tube Light Bulbs not included Lamping US




1130 mm

Standard finishes:

160 06 201 brushed nickel 160 06 207 oiled and waxed brass 160 06 209 black matte 160 06 402 aged brass 160 06 208 bronze

ORA Single Pendant



Туре Pendant Material Brass Environment Indoors

Glass Ø 200 mm - 7,87 🛭 Dimensions

Stem Length customized Weight 2 Kg - 4,4 lb Ceiling Rose Ø 80 mm x 65 mm Ø 3,15 x 2,56 "

IP20 CE

Lamping Filament: E14 115mm (3,94 🛭) Tube

Light Bulb, clear, 25W, 2200 K, dimmable.

OR Led: E14 115 (3,94 🛭) mm Tube Light Bulb, clear, 2.7 W (250lm),

2600K, dimmable

Lamping US 1x E12, Tube Light Bulbs not included

Standard finishes:

Certification

160 10 201 brushed nickel 160 10 207 oiled and waxed brass 160 10 209 black matte 160 10 402 aged brass 160 10 208 bronze



ORA

1 Suspension

200 mm

Type Pendant
Material Brass
Environment Indoors

Dimensions Glass Ø 200 mm - 7,87 M

Cable Length Standard mounting 1500mm

59,1 🛚

Ceiling Rose \emptyset 80 x 25 mm - 3,15 x 1 $\mbox{\em B}$ flat \emptyset 100 mm - 3,94 $\mbox{\em B}$

Certification IP20 CE

Lamping Filament: E14 115mm (3,94 🛚)Tube

Light Bulb, clear, 25W, 2200 K, dimmable.

OR Led: E14 115mm (3,94 🛭) Tube Light Bulb, clear, 2.7 W (250lm),

2600K, dimmable

Lamping US 1x E12, Tube Light Bulbs not

included

Standard finishes:

160 11 201 brushed nickel
160 11 207 oiled and waxed brass
160 11 209 black matte

 160 11 209
 black matte

 160 11 402
 aged brass

 160 11 208
 bronze

* Under unfavorable conditions these lamps can lead to acoustic noise. In case of resonance even low noise can cause audible effect.

The installation as well as the dimmer or the transformer (harmonics or electronic resonance) are possible influencing factors.



^{**} For destinations with Mediterranean climate we highly recommend a brushed and lacquered brass finish.

^{***} Please contact sales@kaialighting.com for further information on dimmers etc. Please note KAIA Ltd cannot take any responsibility for the connec-tion with your dimming or central control system. It is the customer's responsibility to ensure the compatibility with their systems.

^{***} Due to the manufacturing process, differences in the finish between the different brass parts, might accure.*